


ALUMĪNIJS

ALUMĪNIJA LOKSNE PUSCIETA


Leg. EN AW-1050A, Al99,5 (2S) H14/G11-H112
EN 573-3, 485-1, 485-2, 485-3, 485-4
DIN 1712, 1745, 1783, 59600



mm	kg/gab.
2000x1000x0,5	2,7
0,6	3,3
0,7	3,8
1,0	5,4
1,20	6,8
1,5	8,1
2,0	10,8
3,0	16,2
4,0	21,6
5,0	27,0
2500x1250x1,0	8,4
1,20	10,6
1,5	12,7
2,0	17,0
3,0	25,3
3000x1500x1,5	18,2
2,0	24,3
3,0	36,5

ALUMĪNIJA LOKSNE PUSCIETA

Leg. EN AW 5754, AlMg3 (57S) H22/H32/W19-0
EN 573-3, 485-1, 485-2, 485-3, 485-4
DIN 1725, 1745, 1783, 5900



mm	kg/gab.
2000x1000x0,7	3,80
1,0	5,40
1,5	8,10
2,0	10,80
3,0	16,20
4,0	21,60
5,0	27,00
6,0	32,40
8,0	43,20
10,0	54,00
12,0	64,80
15,0	81,00
20,0	108,00
25,0	135,00
30,0	162,00
35,0	189,00
40,0	216,00
45,0	243,00
50,0	270,00
55,0	297,00
60,0	324,00
70,0	378,00
80,0	432,00
2500x1250x1,0	8,44
1,5	12,70
2,0	17,00
3,0	25,30


mm

kg/gab.

2500x1250x4,0	33,80
5,0	42,20
6,0	50,70
8,0	67,60
10,0	84,40
20,0	168,80
25,0	211,00
30,0	253,10
3000x1500x1,0	12,2
1,5	18,3
2,0	24,3
3,0	36,5
4,0	48,6
5,0	61,5
6,0	72,9
8,0	97,2
10,0	121,5
12,0	146,0
15,0	183,0
20,0	243,0

ALUMĪNIJA RIFLĒTĀ LOKSNE

Leg. EN AW-5754 H114, AlMg3 (57S)
EN 573-3, 1386
DIN 1725, 59605




mm

kg/gab.

2000x1000x3/5	18,0
5/7	30,0
7/9	40,0
2500x1250x3/5	29,0
5/7	47,0
7/9	63,0
3000x1250x3/5	34,0
5/7	57,0
3000x1500x2/4	29,0
3/5	41,0
5/7	67,5
7/9	90,0

ALUMĪNIJA LOKSNE m/ stucco monster

Leg. EN AW-1050A, Al99,5 (21)
EN 573-3, 485-1, 485-2, 485-4
DIN 1712, 1745, 1783




mm

kg/gab.

2000x1000x1,0	5,4
---------------------	-----

ALUMĪNIJA LENTA

Leg. EN AW-3103 AlMn1 (3S)
Platums 500 mm, ruļļos 250 kg.
PUSCIETA
EN 573-3, 485-1, 485-2, 485-4
DIN 1725, 1745, 1783




mm	kg/gab.
----	---------

1000x0,75 γ_b	
----------------------------	--

γ_b Udgår ved salg

ALUMĪNIJA SLOKSNE

Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
----	--------	--------	------

10x 2	●		0,06
3	●		0,08
4	●		0,11
5	●		0,13

15x 2	●		0,09
3	●		0,12
4	●		0,16
5	●		0,20
6	●		0,24
8	●		0,33
10		●	0,40

20x 2	●		0,11
3	●		0,16
4	●		0,22
5	●		0,27
6	●		0,32
8		●	0,43
10		●	0,54
15		●	0,80

25x 2	●		0,13
3	●		0,20
4	●		0,27
5	●		0,33
6	●		0,40
8	●		0,54
10		●	0,67
12		●	0,83
15		●	1,04
20		●	1,35

30x 2	●		0,16
3	●		0,24
4	●		0,32
5	●		0,40
6	●		0,49
8		●	0,65
10		●	0,81
12		●	0,99
15		●	1,21
20		●	1,62

mm	Si 0,5	Si 1,0	kg/m
----	--------	--------	------

35x 4	●		0,38
5	●		0,49
10		●	0,94

40x 2	●		0,22
3	●		0,32
4	●		0,43
5	●		0,54
6	●		0,65
8		●	0,86
10		●	1,08
12		●	1,30
15		●	1,62
20		●	2,16
25		●	2,75
30		●	3,24

50x 2	●		0,27
3	●		0,40
4	●		0,54
5	●		0,67
6	●		0,81

50x 8		●	1,08
10		●	1,35
12		●	1,65
15		●	2,02
20		●	2,70
25		●	3,44
30		●	4,05

60x 4	●		0,65
5	●		0,81
6	●		0,99
8		●	1,30
10		●	1,62
12		●	1,94
15		●	2,48
20		●	3,30
30		●	4,86

70x10		●	1,89
-------------	--	---	------

75x 8		●	1,62
10		●	2,02
15		●	3,04
20		●	4,05

80x 5	●		1,10
6	●		1,32
8		●	1,73
10		●	2,16
12		●	2,59
15		●	3,24
20		●	4,32
25		●	5,40
30		●	6,60
40		●	8,70

100x 5	●		1,35
6	●		1,65
8		●	2,16
10		●	2,70
12		●	3,24
15		●	4,05
20		●	5,40
25		●	6,65
30		●	8,25
40		●	11,00
50		●	13,50

120x10		●	3,24
20		●	6,48


125x10		●	3,38
--------------	--	---	------

150x10		●	4,05
15		●	6,08
20		●	8,10

200x10		●	5,40
15		●	8,10
20		●	10,80

ALUMĪNIJA APAĻSTIENIS


Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-3, DIN 1725, 1747 vai 1799
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
12.....		●	0,32
16.....		●	0,55
20.....		●	0,87
25.....		●	1,35
30.....		●	1,95
40.....		●	3,46
50.....		●	5,30
70.....		●	10,39
100.....		●	21,20

ALUMĪNIJA APAĻSTIENIS


Kvalitāte - virsmas apstrādei (urbšana)
Leg. EN AW-2011 AlCuBiPb/2007 AlCuMgPb
Garums 3 m



mm	2007	2011	kg/m
5.....		●	0,06
6.....		●	0,08
8.....		●	0,14
10.....		●	0,22
12.....		●	0,31
14.....		●	0,44
15.....		●	0,49
16.....		●	0,57
18.....		●	0,73
20.....		●	0,87
22.....		●	1,08
24.....		●	1,29
25.....		●	1,37
28.....		●	1,76
30.....		●	1,97
32.....		●	2,29
35.....		●	2,79
36.....		●	2,90
40.....		●	3,50
45.....		●	4,53
50.....		●	5,46
55.....		●	6,80
60.....		●	8,05
65.....		●	9,46
70.....		●	10,70
75.....		●	12,60
80.....		●	14,20
90.....		●	18,10
100.....		●	22,40
110.....		●	27,10
120.....		●	31,50
130.....		●	32,10
140.....		●	43,80
150.....		●	50,10
160.....		●	57,10
170.....		●	64,70
180.....		●	79,50
200.....	●	●	89,50
220.....	●	●	108,40
240.....	●	●	128,90
250.....	●	●	136,60
260.....	●	●	151,20
300.....	●	●	202,00

ALUMĪNIJA ČETRKANTIS


Leg. EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 754-1, 754-2, 754-4, 755-1,
755-2, 755-4
DIN 1725, 1747, 1796, 59700
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
10.....		●	0,27
12.....		●	0,39
15.....		●	0,61
20.....		●	1,10
25.....		●	1,70
30.....		●	2,43
40.....		●	4,32
50.....		●	6,75
60.....		●	9,72
70.....		●	13,25
100.....		●	27,50

ALUMĪNIJA ČETRKANTIS


Kvalitāte - virsmas apstrādei (urbšana)
Leg. EN AW-2011 - AlCuBiPb
Garums 3 m



mm	kg/m
10.....	0,27
15.....	0,61
20.....	1,08
25.....	1,69
30.....	2,43
40.....	4,48
50.....	6,75
60.....	9,72
70.....	13,25
80.....	17,25
90.....	21,37
100.....	27,00

ALUMĪNIJA LEŅĶIS

Vienādmalu
Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
Garums 6 m




mm	Si 0,5	Si 1,0	kg/m
10x 10x 2.....	●		0,10
15x 15x 2.....	●		0,15
15x 15x 3.....	●		0,22
20x 20x 2.....	●		0,21
20x 20x 3.....	●		0,30
20x 20x 4.....	●		0,39
25x 25x 2.....	●		0,26
25x 25x 3.....	●		0,38
25x 25x 4.....	●		0,50
25x 25x 5.....	●		0,63
30x 30x 2.....	●		0,31

mm	Si 0,5	Si 1,0	kg/m
30x 30x 3	●		0,46
4	●		0,61
5	●		0,74
40x 40x 2	●		0,42
3	●		0,63
4		●	0,82
5		●	1,03
50x 50x 3	●		0,80
4	●		1,06
5		●	1,31
6		●	1,55
8		●	1,99
60x 60x 6		●	1,85
10		●	2,97
70x 70x 7		●	2,56
80x 80x 8		●	3,29
100x100x10		●	5,13

ALUMĪNIJA LENĶIS


Nevienādmalu
Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
20x10x2	●		0,16
20x15x2	●		0,18
25x15x2	●		0,21
3	●		0,30
30x10x2	●		0,21
30x15x3	●		0,34
30x20x2	●		0,26
3	●		0,39
40x15x2	●		0,29
40x20x2	●		0,31
4	●		0,61
40x25x3	●		0,51
50x25x3	●		0,59
50x30x3	●		0,63
60x40x5		●	1,28
75x50x5	●		1,68
80x40x6		●	1,85
100x50x3	●		1,20
5	●		1,96

ALUMĪNIJA U-PROFILS

Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-2
DIN 1725, 1748, 9713
Garums 6 m




mm	Si 0,5	Si 1,0	kg/m
10x10x10x2	●		0,16
15x15x15x2	●		0,23

mm	Si 0,5	Si 1,0	kg/m
20x20x20x2	●		0,32
25x25x25x2	●		0,39
3	●		0,56
30x30x30x3		●	0,68
40x40x40x4		●	1,21
50x50x50x4	●		1,53
5	●		1,89

ALUMĪNIJA U-PROFILS


Nevienādmalu
Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
15x 20x15x2	●		0,26
25x 50x25x4	●		1,00
40x 50x40x4	●		1,54
40x 80x40x4	●		1,64
40x100x40x4	●		1,86
50x100x50x5	●		2,57

ALUMĪNIJA T-PROFILS


Leg. EN AW 6060/6063 T6 - AlMgSi 0,5 F22
EN 573-3, 755-1, 755-22
DIN 1725, 1748, 9714
Garums 6 m



mm	Si 0,5	Si 1,0	kg/m
20x20x2	●		0,21
25x25x3	●		0,39
30x30x3	●		0,48
40x40x4	●		0,84
50x50x5	●		1,31

ALUMĪNIJA CAURULE

Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
garums 6 m




mm	Si 0,5	Si 1,0	kg/m
6x1,0	●		0,04
8x1,0	●		0,06
10x1,0	●		0,08
2,0	●		0,16
12x1,0	●		0,10
16x1,0	●		0,13
1,5	●		0,18
2,0	●		0,24
19x1,5	●		0,22
2,0	●		0,29
20x2,0	●		0,31
3,0	●		0,44
4,0	●		0,54
22x3,0	●		0,49
25x1,5	●		0,30

mm	Si 0,5	Si 1,0	kg/m
25x2,0.....	●		0,39
3,0.....	●		0,56
3,5.....	●		0,65
28x1,5.....	●		0,34
30x2,0.....	●		0,48
32x2,0.....	●		0,51
3,5.....	●		0,85
35x2,0.....	●		0,51
5,0.....	●		1,27
38x1,5.....	●		0,47
40x2,0.....	●		0,64
3,0.....	●		0,95
3,5.....	●		1,09
5,0.....		●	1,49
50x1,5.....	●		0,62
2,0.....	●		0,81
3,0.....	●		1,19
3,5.....	●		1,38
5,0.....		●	1,95
60x 5,0.....		●	2,33
10,0.....		●	4,67
65x 5,0.....	●		
70x 2,0.....	●		1,16
5,0.....	●		2,76
75x 5,0.....		●	3,00
80x 2,0.....	●		1,32
5,0.....		●	3,18
10,0.....	●		5,90
90x 5,0.....		●	3,61
100x 5,0.....	●		4,03
10,0.....	●		7,63
110x 5,0.....	●		4,50
150x 5,0.....	●		6,26
200x 5,0.....	●		8,85

ALUMĪNIJA KVADRĀTCAURULE


Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-2, 754-8 - DIN 1725, 1748
Garums 6 m



mm	Si 0,5	kg/m
15x 15x2,0.....	●	0,29
20x 20x2,0.....	●	0,39
25x 25x2,0.....	●	0,50
30x 30x2,0.....	●	0,61
3,0.....	●	0,88
35x 35x2,0.....	●	0,75
40x 40x2,0.....	●	0,84
4,0.....	●	1,56
50x 50x2,0.....	●	1,04
3,0.....	●	1,53
4,0.....	●	1,96
60x 60x4,0.....	●	2,42
80x 80x4,0.....	●	3,29
100x100x4,0.....	●	4,15

ALUMĪNIJA TAISNSTŪRCAURULE

Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-2, 754-8
DIN 1725, 1748
Garums 6 m




mm	Si 0,5	kg/m
30x15x2,0.....	●	0,45
30x20x2,0.....	●	0,50
40x15x2,0.....	●	0,56
40x20x2,0.....	●	0,61
40x25x2,0.....	●	0,66
50x20x2,0.....	●	0,72
50x25x2,0.....	●	0,80
50x30x2,0.....	●	0,84
x3,0.....	●	1,20
60x40x2,0.....	●	1,00
x3,0.....	●	1,60
80x40x3,0.....	●	1,80
4,0.....	●	2,40
100x80x3,0.....	●	2,04
100x40x4,0.....	●	2,86
100x50x4,0.....	●	3,07
120x50x4,0.....	●	3,64

MISIŅŠ

MISIŅA LOKSNE

Puscietā
Leg. CuZn37 F 38 - MS 63
DIN 1751/17670



mm	kg/gab.
2000x1000x0,5.....	8,50
0,6.....	10,20
0,7.....	11,90
0,8.....	13,60
1,0.....	17,00
1,5.....	25,50
2,0.....	33,60
3,0.....	50,60

MISIŅA FOLIJS

Puscietā
Leg. CuZn37
Ruļļos 10-12 kg.

mm	kg/m
150x0,05.....	0,07
0,10.....	0,13
0,15.....	0,19
0,20.....	0,26
0,30.....	0,39
0,40.....	0,45
0,50.....	0,64