


mm	Si 0,5	Si 1,0	kg/m
25x2,0.....	●		0,39
3,0.....	●		0,56
3,5.....	●		0,65
28x1,5.....	●		0,34
30x2,0.....	●		0,48
32x2,0.....	●		0,51
3,5.....	●		0,85
35x2,0.....	●		0,51
5,0.....	●		1,27
38x1,5.....	●		0,47
40x2,0.....	●		0,64
3,0.....	●		0,95
3,5.....	●		1,09
5,0.....		●	1,49
50x1,5.....	●		0,62
2,0.....	●		0,81
3,0.....	●		1,19
3,5.....	●		1,38
5,0.....		●	1,95
60x 5,0.....		●	2,33
10,0.....		●	4,67
65x 5,0.....	●		
70x 2,0.....	●		1,16
5,0.....	●		2,76
75x 5,0.....		●	3,00
80x 2,0.....	●		1,32
5,0.....		●	3,18
10,0.....	●		5,90
90x 5,0.....		●	3,61
100x 5,0.....	●		4,03
10,0.....	●		7,63
110x 5,0.....	●		4,50
150x 5,0.....	●		6,26
200x 5,0.....	●		8,85

ALUMĪNIJA KVADRĀTCAURULE


Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-2, 754-8 - DIN 1725, 1748
Garums 6 m



mm	Si 0,5	kg/m
15x 15x2,0.....	●	0,29
20x 20x2,0.....	●	0,39
25x 25x2,0.....	●	0,50
30x 30x2,0.....	●	0,61
3,0.....	●	0,88
35x 35x2,0.....	●	0,75
40x 40x2,0.....	●	0,84
4,0.....	●	1,56
50x 50x2,0.....	●	1,04
3,0.....	●	1,53
4,0.....	●	1,96
60x 60x4,0.....	●	2,42
80x 80x4,0.....	●	3,29
100x100x4,0.....	●	4,15

ALUMĪNIJA TAISNSTŪRCAURULE

Leg. EN AW-6060/6063 T6 - AlMgSi 0,5 F22
vai EN AW-6082 T6 - AlMgSi 1 F28/32
EN 573-3, 755-1, 755-2, 754-8
DIN 1725, 1748
Garums 6 m




mm	Si 0,5	kg/m
30x15x2,0.....	●	0,45
30x20x2,0.....	●	0,50
40x15x2,0.....	●	0,56
40x20x2,0.....	●	0,61
40x25x2,0.....	●	0,66
50x20x2,0.....	●	0,72
50x25x2,0.....	●	0,80
50x30x2,0.....	●	0,84
x3,0.....	●	1,20
60x40x2,0.....	●	1,00
x3,0.....	●	1,60
80x40x3,0.....	●	1,80
4,0.....	●	2,40
100x80x3,0.....	●	2,04
100x40x4,0.....	●	2,86
100x50x4,0.....	●	3,07
120x50x4,0.....	●	3,64

MISIŅŠ

MISIŅA LOKSNE

Puscieta
Leg. CuZn37 F 38 - MS 63
DIN 1751/17670



mm	kg/gab.
2000x1000x0,5.....	8,50
0,6.....	10,20
0,7.....	11,90
0,8.....	13,60
1,0.....	17,00
1,5.....	25,50
2,0.....	33,60
3,0.....	50,60


MISIŅA FOLIJS

Pusciets
Leg. CuZn37
Ruļļos 10-12 kg.

mm	kg/m
150x0,05.....	0,07
0,10.....	0,13
0,15.....	0,19
0,20.....	0,26
0,30.....	0,39
0,40.....	0,45
0,50.....	0,64

MISIŅA SLOKSNE


Leg. CuZn39Pb3
MS 58 - DIN 1759/17660/17672
Garums 3 m



mm	kg/m
10x 5.....	0,43
8.....	0,68
15x 3.....	0,39
4.....	0,51
5.....	0,64
8.....	1,02
10.....	1,28
20x 2.....	0,39
3.....	0,51
4.....	0,68
5.....	0,85
6.....	1,02
8.....	1,36
10.....	1,70
15.....	2,55
25x 2.....	0,43
3.....	0,64
4.....	0,85
5.....	1,06
6.....	1,28
10.....	2,13
15.....	3,19
30x 3.....	0,77
4.....	1,02
5.....	1,28
6.....	1,53
8.....	2,04
10.....	2,55
15.....	3,83
20.....	5,10
40x 3.....	1,02
4.....	1,36
5.....	1,70
6.....	2,04
8.....	2,72
10.....	3,40
15.....	5,10
20.....	6,80
50x 3.....	1,28
4.....	1,70
5.....	2,13
6.....	2,55
8.....	3,40
10.....	4,25
15.....	6,39
20.....	8,50
25.....	10,63
60x 4.....	2,04
5.....	2,55
6.....	3,06
8.....	4,08
10.....	5,10
15.....	7,65
20.....	10,20
40.....	20,40
80x10.....	6,80
15.....	10,20
100x10.....	8,50
20.....	17,00
30.....	25,05
40.....	34,00

MISIŅA APALSTIENIS


Leg. CuZn39 Pb3 - MS58
DIN 175/17672
Garums 3,5 metri



mm	kg/m
1,5.....	0,02
3,0.....	0,06
4,0.....	0,11
5,0.....	0,17
6,0.....	0,24
7,0.....	0,33
8,0.....	0,43
9,0.....	0,54
10,0.....	0,67
11,0.....	0,81
12,0.....	0,96
13,0.....	1,13
14,0.....	1,31
15,0.....	1,50
16,0.....	1,71
17,0.....	1,93
18,0.....	2,16
19,0.....	2,41
20,0.....	2,67
22,0.....	3,23
24,0.....	3,85
25,0.....	4,17
26,0.....	4,51
28,0.....	5,23
30,0.....	6,01
32,0.....	6,84
35,0.....	8,18
38,0.....	9,64
40,0.....	10,68
45,0.....	13,50
50,0.....	16,69
55,0.....	20,19
60,0.....	24,00
65,0.....	28,21
70,0.....	32,71
75,0.....	37,55
80,0.....	42,70
85,0.....	48,20
90,0.....	54,10
100,0.....	67,00
110,0.....	81,00
120,0.....	96,00
150,0.....	150,00

MISIŅA ČETRKANTIS

Leg. CuZn39Pb3 - MS58
DIN 1761/17672
Garums 3,5 metri




mm	kg/m
6,0.....	0,31
8,0.....	0,54
10,0.....	0,85

VARŠ

VARA LOKSNE


Puscietā
Leg. SF-Cu F 25
DIN 1787/1751/17670



mm	kg/gab.
2000x1000x0,5	8,90
0,6	10,70
0,7	12,50
0,8	14,30
1,0	17,80
1,25	22,40
1,5	26,80
2,0	35,60
3,0	53,40

VARA SLOKSNE

Leg. E-Cu F25x30
DIN 1759/1787/40500
Garums 3,5 - 4 metri




mm	kg/m
10x 3	0,27
20x	0,53
30x	0,80
25x	0,89
15x 5	0,67
25x	1,11
30x	1,34
40x	1,78
50x	2,23
25x 6	1,34
30x	1,60
50x 8	3,56
20x10	1,78
30x	2,67
40x	3,56
50x10	4,45
60x	5,34
80x	7,12
100x	8,90
40x15	5,34
50x	6,68
40x20	7,12
50x25	11,13

mm	kg/m
12,0	1,22
15,0	1,92
16,0	2,17
20,0	3,40
25,0	5,31
30,0	7,65
35,0	10,41
40,0	13,60
50,0	21,40

MISIŅA SEŠKANTIS

Leg. CuZn39Pb3 - MS58
DIN 1761/17672
Garums 3,5 metri



mm	kg/m
6,0	0,27
8,0	0,47
10,0	0,74
12,0	1,06
13,0	1,24
14,0	1,44
15,0	1,66
17,0	2,13
19,0	2,66
22,0	3,56
24,0	4,24
25,0	4,60
27,0	5,37
30,0	6,62
32,0	7,54
36,0	9,54
41,0	12,37
46,0	15,58
50,0	18,40